



The OV-2 lighting system has a modular design to meet the wide variety of today's battlefield needs. Interchangeable On/Off/Momentary push button switch, remote cable pressure pad switch or Dual (Remote Cable and Push Button) switch options provide activation flexibility.

The OV-2 can seamlessly integrate with our DBAL-A³ by plugging the Y-cable (supplied with the DBAL-A³) into both the tactical light and the visible override port on the back of the laser housing.

Pressing the Y-cable pressure pad will simultaneously activate the OV-2 and the visible laser. Pressing the second pressure pad, plugged into the standard laser port, will activate the infrared laser functions on the DBAL-A³.

The OV-2 easily mounts to any MIL-STD-1913 rail using our low profile thumb screw mount that neatly tucks the light in between the top and side rails of an M4/M16.

The OV-2 is available in Black or Desert Sand. See package options on next page.

OV-2 with Dual Remote Switch



OV-2 with DBAL-A³ showing Y-Cable configuration



FEATURES INCLUDE

- ▶ Rugged aerospace aluminum housing, MIL-SPEC Type III hard-coat anodized
- ▶ <200 lumen recoil-resistant, high intensity LED
- ▶ Multiple configurations available (see next page)
- ▶ Meets MIL-STD-810G for adverse environmental conditions
- ▶ Deeply knurled, non-slip grip
- ▶ Waterproof to 20 meters
- ▶ Supplied with two, 3-volt 123A lithium batteries
- ▶ Optional tip-off filters in red, blue and green
- ▶ Available in black or desert sand
- ▶ Manufactured in the U.S.A.

OV-2 SPECIFICATIONS SEE ATTACHED FOR ADDITIONAL SPECIFICATIONS & WARRANTY

BATTERY	Two 3-volt 123A lithium
MATERIAL	Anodized aircraft aluminum 6061T-6
WEIGHT (WITH BATTERIES, REMOTE TAILCAP & MOUNT)	4.9 oz / 138.9 grams
LENGTH (WITH REMOTE TAILCAP)	5.5 in / 14 cm
DIAMETER OF HEAD	1 in / 2.5 cm
ENVIRONMENT	Waterproof to 20 meters



OV-2 shown with EOLAD-1

OV-2 PACKAGE #1



- OV-2 Tactical Light with:
- Push button tailcap
 - Pocket Clip & Lanyard
 - Two, 3-volt 123A lithium batteries

OV-2 PACKAGE #3



- OV-2 Tactical Light with:
- Push button tailcap
 - Pocket Clip & Lanyard
 - Low Profile, MIL-SPEC-1913 mount
 - Two, 3-volt 123A lithium batteries

OV-2 PACKAGE #4



- OV-2 Tactical Light with:
- Remote cable tailcap
 - Remote cable switch
 - Low Profile, MIL-SPEC-1913 mount
 - Two, 3-volt 123A lithium batteries

OV-2 PACKAGE #5



- OV-2 Tactical Light with:
- Push button tailcap
 - Remote cable tailcap
 - Remote cable switch
 - Pocket Clip & Lanyard
 - Low Profile, MIL-SPEC-1913 mount
 - Two, 3-volt 123A lithium batteries

OV-2 PACKAGE #6



- OV-2 Tactical Light with:
- Dual tailcap (push button & remote)
 - Remote cable switch
 - Low Profile, MIL-SPEC-1913 mount
 - Two, 3-volt 123A lithium batteries

OV-2 Desert Sand with Push Button Switch



OV-2 ACCESSORIES



Lanyard



Pocket Clip



Mount



Remote Cable Tailcap



Push Button Tailcap



Dual Tailcap

OPTIONAL



Tip-Off Filters



Dual Remote Cable

